


IRRIGATION ACID

<u>DANGER!</u> May cause severe burns to eyes, skin, and body tissues. May be harmful if swallowed. Mist inhalation may cause lung damage.

IN CASE OF EYE CONTACT: Product rapidly causes severe eye irritation and burns to the eyes and eye lids. Flush eyes with plenty of water for twenty (20) minutes or more while holding the eye lids apart. **SEEK MEDICAL ATTENTION IMMEDIATELY.**



<u>IN CASE OF SKIN CONTACT:</u> Corrosive to skin and can cause severe burns if not immediately washed off. Immediately remove contaminated clothing and shoes. Flush with water for at least fifteen (15) minutes. Seek medical attention. <u>IN CASE OF INHALATION:</u> Can cause severe irritation to the upper respiratory tract up to adema and hemorrhage if severe enough. Remove to fresh air. If breathing is difficult, have trained person administer oxygen. If not breathing, give mouth-to-mouth resuscitation. Observe for delayed pulmonary reaction. Seek medical attention immediately. <u>IN CASE OF INGESTION:</u> Can cause severe burns, intense pain, nausea, vomiting, and unconsciousness. **DO NOT INDUCE VOMITING.** If swallowed, give several glasses of water or milk. Keep airway clear. **Never** give anything to an unconscious person. Seek medical attention immediately.

HANDLING AND STORAGE:

Avoid breathing vapor or mist. Do not get in eyes, on skin, or on clothing. Wear protective safety equipment. Certain circumstances could require use of respiratory protection. Wash thoroughly after handling. Use or store with adequate ventilation – refer to applicable OSHA regulations. Keep workplace airborne concentrations below legal and recommended limits. Keep container closed with closure end up. Do not transfer into an unmarked container. Do not use pressure to empty container. Empty containers may contain hazardous product residue. Use caution when making solution – add acid to water. Keep separated from carbides, chlorates, fulminates, nitrates, picrates, powdered metals, combustible materials, and other flammable substances. Before using this product, review the material safety data sheet (MSDS) available from your employer or Paramount Chemicals & Plastics, Inc.



SPILL OR LEAK:

Wear protective equipment, clothing, and shoes. Neutralize with soda ash or lime. Flush area with water, taking care to properly contain and dispose of the wash water in compliance with all Federal, State, and local health, environmental, and pollution regulations. Do not discharge into water or sewer systems, lakes, streams, or rivers.

IN CASE OF EMERGENCY: Call your local emergency response (9-1-1) or ChemTrec (1-800-424-9300). Information provided is accurate to best of our knowledge. Paramount Chemicals & Plastics, Inc. makes no guaranty or warranty express or implied. User assumes all responsibility and liability.

PARAMOUNT CHEMICALS & PLASTICS, INC.

MAIN OFFICE: 14680 Cemetery Road Fort Myers, FL 33905 (239) 849-1041 WAREHOUSE: 14470 S State Road 29 Felda, FL 33930 (863) 674-1800

NET	CONTENTS:

2.5 Gallons _____ 5 Gallons ____ 30 Gallons ____ 55 Gallons _____ 275 Gallons ____ Other